



BIG BAG DISCHARGER

SBB BAGGY







Technical specifications

Model	Big bag maximum capacity				Tank capacity		Material
	Volume		Weight				
	dmc	cft	kg <i>Bulk density 0,65 kg/dmc</i>	lb <i>Bulk density 40,6 lb/cft</i>	dmc	cft	
SBB 10 BAGGY	1530	53,97	1000	2200	40	1,41	<i>painted steel/stainless steel</i>



BIG BAG DISCHARGER SBB BAGGY



Dimensions

Model	A		B		H		d		Weight	
	mm	in	mm	in	mm	in	Ø mm	Ø in	kg	lb
SBB10 BAGGY	1211	47,67	1211	47,67	2457	96,73	50	1,97	100	220



RIEMPI BIG BAG BIG BAG FILLER RBB



Caratteristiche tecniche - Technical specifications

Modello Model	Capacità big bag * Big bag capacity		Potenza installata *** Installed power	Aria compressa Compressed air	Materiale Material
	dm ³ **	kg	kW	bar	
RBB	1000 ÷ 2000	700 ÷ 1400	0,2	5 ÷ 6	Acciaio verniciato Painted steel


* P.S.A. di riferimento / Referring Bulk Density = 0,7 kg/dm³

** Big bags con un ingombro di base massimo di 1000 x 1000 mm / Big Bags with a maximum base footprint of 1000 x 1000 mm

*** Alimentazione elettrica standard / Standard electrical supply: 230V/1ph/50Hz



RIEMPI BIG BAG BIG BAG FILLER RBB



Dimensioni - Dimensions

Modello Model	A	B	H	A ₁	B ₁	F	D	I	d	D ₁	Peso Weight
	mm	mm	mm	mm	mm	mm	Ø mm	mm	Ø mm	Ø mm	kg
RBB	1510	1510	1990 ÷ 2986	1660	1733	361 x 361	275 x 275	12 x 110	12 x 12,5	275 ÷ 335	100



OCTABIN UNLOADER OKTOBAG



Equipment

Equipment Version	Empty bag sensor	WAVE sensor	WAVE Program		Arms adjustment		Touch screen interface	Antistatic protection
			Std.	Auto	Manual	Auto		
BLU	—	●	●	—	●	—	—	□
PLUS	●	●	—	●	●	—	●	□
LUX	●	●	—	●	—	●	●	□
WHITE	●	●	—	●	●	□	●	●

● = Standard □ = Option

Technical features


Model	Throughput t/h	Electirical Power kW	Compressed air		Octabin - big bag dimensions	
			NI/cycle	bar	Base [mm]	height [mm]*
OKB 20	6,0	0,15	6	6 ÷ 8	1140 x 1140	1100 ÷ 2000
OKB 30	6,0	0,15	6	6 ÷ 8	1140 x 1140	1500 ÷ 3000

Standard power supply: 220V/1ph/50÷60Hz - 480V/3ph/50÷60Hz.

* Pallet included.



OCTABIN UNLOADER OKTOBAG



Dimensions

Model	A	B	H	A ₁	B ₁	B ₂	d	Weight
	mm	mm	mm	mm	mm	mm	Ø mm	kg
OKB 20	1557	1557	3219	1295	1764	136	40 - 50 - 60	550
OKB 30	1557	1557	4319	1295	1764	136	40 - 50 - 60	600