



TUBOFLEX - FLEXIBLE PIPES

TEX - TFA - TFM - TFS




Technical specifications

Model	Description	Pipe diameter		Lenght		Atoxic	Antistatic	Material
		Ø mm	Ø in	mt	ft			
TEX 30 B	Flexible vacuum pipe	30	1,18	30	98,5	Yes	Yes	PVC + Poliurethane
TEX 40 B	Flexible vacuum pipe	40	1,57	30	98,5	Yes	Yes	PVC + Poliurethane
TEX 50 B	Flexible vacuum pipe	50	1,97	30	98,5	Yes	Yes	PVC + Poliurethane
TEX 60 B	Flexible vacuum pipe	60	2,36	30	98,5	Yes	Yes	PVC + Poliurethane
TEX 70 B	Flexible vacuum pipe	70	2,76	30	98,5	Yes	Yes	PVC + Poliurethane
TFA 30 B	Flexible material pipe	30	1,18	30	98,5	Yes	Yes	PVC + Poliurethane
TFA 40 B	Flexible material pipe	40	1,57	30	98,5	Yes	Yes	PVC + Poliurethane
TFA 50 B	Flexible material pipe	50	1,97	30	98,5	Yes	Yes	PVC + Poliurethane
TFA 60 B	Flexible material pipe	60	2,36	30	98,5	Yes	Yes	PVC + Poliurethane
TFA 70 B	Flexible aterial pipe	70	2,76	30	98,5	Yes	Yes	PVC + Poliurethane
TFM 40 B	Flexible medical pipe	40	1,57	30	98,5	Yes	Yes	Poliurethane
TFM 50 B	Flexible medical pipe	50	1,97	30	98,5	Yes	Yes	Poliurethane
TFM 60 B	Flexible medical pipe	60	2,36	30	98,5	Yes	Yes	Poliurethane
TFS 40 B	Flexible anti-wear pipe	40	1,57	20	65,6	Yes	Yes	Poliurethane
TFS 50 B	Flexible anti-wear pipe	50	1,97	20	65,6	Yes	Yes	Poliurethane
TFS 60 B	Flexible anti-wear pipe	60	2,36	20	65,6	Yes	Yes	Poliurethane



TUBOFLEX - FLEXIBLE PIPES
TEX - TFA - TFM - TFS



Dimensions

Model	D		B		Coil lenght		Weight	
	mm	in	mm	in	m	ft	gr/m	lb/ft
TEX 30 B	30	1,18	36	1,42	30	1,18	420	0,28
TEX 40 B	40	1,57	46.8	1,84	30	1,18	610	0,41
TEX 50 B	50	1,97	57.2	2,25	30	1,18	810	0,54
TEX 60 B	60	2,36	67.6	2,66	30	1,18	970	0,65
TEX 70 B	70	2,76	78.6	3,09	30	1,18	1200	0,81
TFA 30 B	30	1,18	36	1,42	30	1,18	420	0,28
TFA 40 B	40	1,57	46.8	1,84	30	1,18	610	0,41
TFA 50 B	50	1,97	57.2	2,25	30	1,18	810	0,54
TFA 60 B	60	2,36	67.6	2,66	30	1,18	970	0,65
TFA 70 B	70	2,76	78.6	3,09	30	1,18	1200	0,81
TFM 40 B	40	1,57	46.8	1,84	30	1,18	610	0,41
TFM 50 B	50	1,97	57.2	2,25	30	1,18	810	0,54
TFM 60 B	60	2,36	67.6	2,66	30	1,18	970	0,65
TFS 40 B	40	1,57	46.8	1,84	30	1,18	610	0,41
TFS 50 B	50	1,97	57.2	2,25	30	1,18	810	0,54
TFS 60 B	60	2,36	67.6	2,66	30	1,18	970	0,65