



TRAMOGGE DI MANTENIMENTO MINI MINI MAINTENANCE HOPPERS

TMM




Caratteristiche tecniche - Technical specifications

Modello Model	Capacità Capacity		Piastra/Plates		Flangia/Flange		
	dmc ³	PSA kg 0.6 dmc	Fori/Holes N°	Fori/Holes ømm	Fori/Holes N°	Fori/Holes ømm	Fori/Holes Interasse fiss./P.C.D mm
TMM 0	0.4	0.2	4	9	4	M6	130
TMM 1	1.0	0.6	4	9	4	7	180
TMM 3	2.0	1.2	4	9	8	7	230
TMM 5	3.5	2.1	4	9	8	9	280



TRAMOGGE DI MANTENIMENTO MINI MINI MAINTENANCE HOPPERS

TMM



Abbinamenti - Combinations

Modello Model	F1	F3	F5	C0	C1	C3	C5	C10	R0	R1	R3	R5	R10
TMM 0				•					•				
TMM 1	•				•					•			
TMM 3		•				•					•		
TMM 5			•				•	•				•	•

Dimensioni - Dimensions

Modello Model	A mm	H mm	d mm	D mm	F mm	I mm	L mm	Peso Weight Kg
TMM 0	140	82	9	40	130	80x80	100x100	1.2
TMM 1	195	135	9	50	180	100x100	120x120	1.9
TMM 3	249	165	9	50	230	100x100	120x120	2.9
TMM 5	300	189	9	50	280	100x100	120x120	6.5



TRAMOGGE DI MANTENIMENTO PYREX

PYREX MAINTENANCE HOPPERS

TMX



Caratteristiche tecniche - Technical features


Modello Model	Capacità Capacity dm ³	Fori piastra Plate holes		Fori Flangia Flange holes			Materiali Materials
		N.	Ø mm	N.	Ø mm	Interasse / axis Ø mm	
TMX 0	0,6	4	7	4	M6	130	Alluminio + pyrex Aluminium + pyrex
TMX 1	1,2	4	9	8	7	180	Alluminio + pyrex Aluminium + pyrex
TMX 3	2,2	4	9	8	7	230	Alluminio + pyrex Aluminium + pyrex
TMX 5	3,8	4	9	8	9	280	Alluminio + pyrex Aluminium + pyrex



TRAMOGGE DI MANTENIMENTO PYREX

PYREX MAINTENANCE HOPPERS

TMX



Abbinamenti - Combinations


Modello Model	F 1	F 3	F 5	C 0	C 1	C 3	C 5	C 10	R 0	R 1	R 3	R 5	R 10	CTM 1	CTM 3	CTM 5
TMX 0				•					•							
TMX 1	•				•					•				•		
TMX 3		•				•					•				•	
TMX 5			•				•	•				•	•			•

Dimensioni - Dimensions

Modello Model	F Ø mm	H mm	I Ø mm	d Ø mm	L mm	D Ø mm	I ₁ Ø mm	d ₁ Ø mm	Peso Weight kg
TMX 0	140	154	130	M6	100 x 100	50	80 x 80	7	1,6
TMX 1	195	200	180	7	120 x 120	50	100 x 100	9	2,1
TMX 3	249	237	230	7	120 x 120	50	100 x 100	9	2,5
TMX 5	300	261	280	9	120 x 120	50	100 x 100	9	3,0

**MAINTENANCE HOPPERS****HM****Technical features**

<i>Model</i>	<i>Capacity</i>		<i>Plates</i>			<i>Lid</i>				
	<i>dmc</i>	<i>cft</i>	<i>Holes N°</i>	<i>Holes diameter</i>		<i>Holes N°</i>	<i>Holes diameter</i>		<i>Holes R.C.D diameter</i>	
				<i>Ø mm</i>	<i>Ø in</i>		<i>Ø mm</i>	<i>Ø in</i>	<i>Ø mm</i>	<i>Ø in</i>
HM 5	5	0,18	4	9	0,35	4	8	0,31	230	9,06
HM 15	15	0,53	4	9	0,35	4	8	0,31	280	11,02
HM 30	30	1,06	4	9	0,35	4	8	0,31	280	11,02
HM 50	50	1,77	4	9	0,35	4	8	0,31	280	11,02

**MAINTENANCE HOPPERS****HM**

Sez. Z:Z

Combinations

Model	F1	F3	F5	C1	C3	C5	C10	C25	C50	R1	R3	R5	R10	R25	R50
HM 5	•	•		•	•					•	•				
HM 15		•	•		•	•	•				•	•	•		
HM 30			•			•	•	•	•			•	•	•	•
HM 50			•			•	•	•	•			•	•	•	•

Dimensions

Model	A		B		H		d		D		F		G		I		L		Weight	
	mm	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm	in	kg	lb
HM 5	267	10,5	342	13,5	271	10,7	9	0,35	50	1,97	230	9,0	453	17,8	100x100	3,9x3,9	120x120	4,7x4,7	5	11
HM 15	324	12,8	396	15,6	323	12,7	9	0,35	70	2,8	280	11,0	542	21,3	100x100	3,9x3,9	120x120	4,7x4,7	7	15
HM 30	377	14,8	443	17,4	503	19,8	9	0,35	99	3,9	280	11,0	725	28,5	120x120	4,7x4,7	150x150	5,9x5,9	12	26
HM 50	481	18,9	548	21,6	563	22,2	9	0,35	99	3,9	280	11,0	851	33,5	120x120	4,7x4,7	150x150	5,9x5,9	15	33



TRAMOGGE DI MANTENIMENTO COIBENTATE
INSULATED MAINTENANCE HOPPERS
DHM




Caratteristiche tecniche - Technical specifications

Modello Model	Capacità Capacity		Piastre/Plates		Coperchio/Lid		
	dm ³	PSA kg 0.6 dcm	Fori/Holes N°	Fori/Holes ømm	Fori/Holes N°	Fori/Holes ømm	Fori/Holes Interasse fiss./P.C.D mm
DHM 5	5.0	3.0	4	9	4	8	280
DHM 15	15.0	9.0	4	9	4	8	280
DHM 30	30.0	18.0	4	9	4	8	280
DHM 50	50.0	30.0	4	9	4	8	280



TRAMOGGE DI MANTENIMENTO COIBENTATE INSULATED MAINTENANCE HOPPERS

DHM



Abbinamenti - Combinations

Modello Model	C1	C3	C5	C10	C25	C50	R1	R3	R5	R10	R25	R50
DHM 5	•	•	•				•	•	•			
DHM 15		•	•	•				•	•	•		
DHM 30			•	•	•	•			•	•	•	•
DHM 50			•	•	•	•			•	•	•	•

Dimensioni - Dimensions

Modello Model	A mm	B mm	H mm	d mm	D mm	F mm	G mm	I mm	L mm	Peso weight Kg
DHM 5	318	379	273	9	50	280	542	100x100	120x120	7
DHM 15	373	425	323	9	70	280	542	100x100	120x120	9
DHM 30	473	476	470	9	99	280	542	120x120	150x150	14
DHM 50	515	571	530	9	99	280	542	120x120	150x150	20